

OFFICIAL



**Hampshire
& Isle of Wight**

FIRE & RESCUE SERVICE

Hampshire & Isle of Wight
Response Plan
Alignment V3.3

Command Summary

Notes:

Number of pumps	Incident Command	Tactical Advisor	Command Support	Operational Assurance	
1	Initial		Crews	Initial	1. CS Team reference to include a Intermediate CSO
2		Safety Critical Only			2. WAH Team includes 2 x WT appliances
3		Intermediate	CS Vans	Intermediate	3. Where 2 HMEPA's are mobilised, 1 goes to incident and 1 remote
4					
5	Intermediate		Command 1		
6					
7					
8		Advanced			
9				Advanced	
10+	Advanced				
Tactical Coordinating Group		Strategic			
Strategic Coordinating Group	Strategic	Strategic			

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
A1 Alarm Commercial/Industrial	Alarm Calls originating from an Automatic Fire Detection or Gas Detection systems installed in low and medium rise commercial buildings, portable office accommodation, offices, abattoir, commercial garage, factory, filling station, police station, pumping station, chimney fires in industrial and commercial properties etc.	Call challenge - 1 Pump			
A2 Alarm Retail/Public Assembly	Alarm Calls originating from an Automatic Fire Detection or Gas Detection systems installed in theatres, cinemas, shopping complexes, shops, schools, colleges, sports stadia, night clubs, churches or other places of worship, community centres, libraries, marquees, museums, public houses etc. (New includes gas detection).	Call Challenge - 1 Pump			
A3 Alarm Residential	Alarm Calls originating from an Automatic Fire Detection system installed in prisons, residential care homes, hotels, boarding houses, residential schools, hospitals, portable accommodation with sleeping risk, heritage buildings, low and medium residential, static caravans etc.	1 Pump			
A3.1.0 Alarm High Rise	Incidents involving alarms activating in high rise (i.e. above five floors) residential dwellings such as flats or maisonettes, hotels, boarding houses, hospitals, portable accommodation with sleeping risk, heritage buildings etc.	3 Pumps			
A4 Alarm Domestic	Alarm calls from domestic properties	1 Pump			
A4.1 Alarm Domestic Smoke Alarm Actuating	Any report of a domestic smoke alarm operating. Note: Excludes calls from Alarm Receiving Centres, which are dealt with under appropriate AFA category.	1 Pump			
A4.2 Alarm Domestic Carbon Monoxide	Any report of a carbon monoxide alarm activating in a Domestic property. Excluding gas leaks.	1 Pump			
A4.3 Alarm Domestic Smoke Low Battery	Notification of an alarm bleeping (due to low battery warning)	No Attendance			
A5 Alarm Agricultural	Alarm Calls originating from an Automatic Fire Detection system installed in Agricultural storage buildings that may contain livestock, straw, hay, agrochemicals and farm machinery.	1 Pump			
A6 Alarm Other	Alarm Calls involving in any building/structure that does not fit into one of the other building categories i.e. Wood yard, shed, summer house, boat house, shelter etc. It will be for Mobilising Control to determine the appropriate FRS response based on information received or SSRI.	1 Pump			
A7 Alarm Test		No Attendance			
A7.1 Alarm Not Attended		No Attendance			
A8 Alarm Misrouted	Used to record misrouted AFA calls normally from collector stations	No Attendance			

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
A8.2 Alarm Intruder	Alarm call reporting a sounding burglar alarm from a building	No Attendance			

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
F1 Fire Commercial/Industrial	Incidents involving fire or that have the potential to cause fire and/or explosion in low and medium rise commercial buildings, portable office accommodation, offices, abattoir, commercial garage, factory, filling station, police station, pumping station, etc., including chimney or ducting fires in industrial and commercial properties	3 Pump ALP CSV ICS L2 (TA)		IOW ICU instead of CSV	
F1.P Fire Commercial/Industrial Persons Reported	Incidents involving fire or that have the potential to cause fire and/or explosion in low and medium rise commercial buildings, portable office accommodation, offices, abattoir, commercial garage, factory, filling station, police station, pumping station, etc., including chimney or ducting fires in industrial and commercial properties	4 Pumps ALP CSV ICS L2 (TA)		IOW ICU instead of CSV	
F10 Fire Now Out [not late call]	Where the caller is reporting a fire that they believe to be extinguished that occurred a short time ago i.e. up to two hours before call.	1 Pump			
F10.2 Late Fire Call	A call to a fire that has been out for some considerable time i.e. in excess of two hours.	ICS L2			
F11 Fire Unknown Origin	Reports to a fire or smoke, where the exact nature of the fire cannot be specified by the caller as the fire/smoke is too far away in the distance e.g. pall of smoke, smoke in area, smoke in distance.	Call challenge			
F11.1 Smell of Burning	Incident that has been reported as a smell of burning outside but no fire can be traced	1 Pump			
F12 Persons on Fire	Calls to a person or person on fire	2 Pumps ICS L2 (TA)			
F2 Fire Retail/Public Assembly	Incidents involving fire or have the potential to cause fire or explosion in Public assembly buildings	4 Pumps ALP CSV ICS L2 (TA)		IOW ICU instead of CSV	
F2.P Fire Retail/Public Assembly Persons Reported	Incidents involving fire or have the potential to cause fire or explosion in Public assembly buildings	5 Pumps ALP ICU CSV 3 x ICS L2 (TA, IC CSO) DET		IOW Pump for CS	
F3 Fire Residential No Persons Reported	Incidents involving fire in in buildings which contains within the building residential accommodation such as prisons, hotels, boarding houses, residential schools, hospitals, portable accommodation with sleeping risk, heritage buildings, low and medium residential, static caravans (i.e. sleeping risks).	3 Pumps ALP CSV ICS L2 (TA)		IOW ICU instead of CSV	
F3. P Fire Residential Persons Reported	Incidents involving fire in in buildings which contains within the building residential accommodation such as prisons, hotels, boarding houses, residential schools, hospitals, portable accommodation with sleeping risk, heritage buildings, low and medium residential, static caravans (i.e. sleeping risks).	4 Pumps ALP CSV ICS L2 (TA)		IOW ICU instead of CSV	

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
F3.1.0 Fire High Rise	Incidents involving fire in high rise (i.e. above five floors) residential dwellings such as flats or maisonettes, portable accommodation with sleeping risk, heritage buildings etc.	6 Pumps ALP ICU CSV 4 x ICS L2 (IC, Fire Sector,TA,CSO) DET *aside from cladded properties which remains at 8 Pumps, ALP,ICU, 2 CS Van, ICS L3 (TA), 2 x ICS L2, CSO, FS/Prot, An additional officer, DET		IOW CS pump instead of CSV	
F4 Fire Domestic	Incidents involving fire in domestic dwellings such as private houses, bungalows etc	2 Pumps ICS L2			
F4.3 Fire Chimney	Incidents involving fires contained within a chimney	1 Pump			
F4.3.1 Fire Chimney Thatched	Incidents involving fires within a chimney in properties with thatched or partially thatched roof.	2 Pumps ALP			
F4.4 Fire Thatched Roof	Incidents involving thatched roof on fire	7 Pumps ALP WRC EPU ICU CSV 3 x ICS L2 (TA, IC, Safety) CSO HMA DET		IOW Pump for CS	
F4.P Fire Domestic Persons Reported	Incidents involving fire in domestic dwellings such as private houses, bungalows etc with	3 Pumps CSV ICS L2		IOW ICU instead of CSV	
F5 Fire Agricultural	Incidents involving fire or have the potential to cause fire and / or explosion in agricultural storage buildings (except silos), such as farm out-buildings, barns or stock sheds etc., that may contain livestock, straw, hay, agrochemicals and farm machinery.	3 Pumps WRC CSV ICS L2 (TA)		IOW ICU instead of CSV	
F5.1 Fire Silo/Grain No Persons Reported	Incidents involving fire in any permanent, semi permanent or mobile silo containing various loose, free-flowing bulk materials such as grains which are dried using forced warm air, heated using diesel or LPG fuel	3 Pumps ALP WRC CSV ICS L2 (TA)		IOW ICU instead of CSV	
F5.1P Fire Silo/Grain Persons Reported	Incidents involving fire in any permanent, semi permanent or mobile silo containing various loose, free-flowing bulk materials such as grains which are dried using forced warm air, heated using diesel or LPG fuel	4 Pumps ALP WRC CSV ICS L2 (TA) HSR5		IOW ICU instead of CSV	

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
F5.P Fire Agricultural Persons Reported	Incidents involving fire or have the potential to cause fire and / or explosion in agricultural storage buildings (except silos), such as farm out-buildings, barns or stock sheds etc., that may contain livestock, straw, hay, agrochemicals and farm machinery.	4 Pumps WRC CSV ICS L2 (TA)		IOW ICU instead of CSV	
F6 Fire Building Other No Persons Reported	Incidents involving fire in any building / structure that does not fit into one of the other building categories i.e. Wood yard, shed, summer house, boat house, shelter etc. It will be for Mobilising Control to determine the appropriate FRS response based on information received or SSRI.	2 Pumps			
F6.1 Fire Derelict Building No Persons Reported	Incidents involving fire or have the potential to cause fire and / or explosion involving any property that is believed to be abandoned, officially uninhabited, awaiting demolition or in a dangerous or unsafe condition.	2 Pumps			
F6.1.P Fire Derelict Persons Reported	Incidents involving fire or have the potential to cause fire and / or explosion involving any property that is believed to be abandoned, officially uninhabited, awaiting demolition or in a dangerous or unsafe condition.	3 Pumps CSV ICS L2 (TA)		IOW ICU instead of CSV	
F6.P Fire Building Other Persons Reported	Incidents involving fire in any building / structure that does not fit into one of the other building categories i.e. Wood yard, shed, summer house, boat house, shelter etc. It will be for Mobilising Control to determine the appropriate FRS response based on information received or SSRI	3 Pumps CSV ICS L2 (TA)		IOW ICU instead of CSV	
F7 Fire Caravan/Camping No Persons Reported	Fires involving static / permanent / touring caravans and tents	2 Pumps Multi lane: 3 Pumps WRC ICS L2(TA)			
F7.P Fire Caravan/Camping Persons Reported	Fires involving static / permanent / touring caravans and tents	3 Pumps CSV ICS L2 (TA) Multi lane: 4 Pumps WRC CSV ICS L2 (TA)		IOW ICU instead of CSV	
F8 Fire in the Open Small	Fires occurring that are not within a building, i.e. A small fire in the open involving combustible materials such as: bins, skips, recycling containers, vegetation.	1 Pump/SFV Multi lane: 2 Pumps			
F8.1 Fire Road Furniture	Fires involving all types of roadside furniture e.g. phone box, lamp post, bus shelters, notice boards etc.	1 Pump/SFV			

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
F8.1.1 Fire Post Box	Fires involving the contents and or structure of freestanding post boxes, excluding those attached to or incorporated within a building.	1 Pump/SFV			
F8.2.1 Fire Recycling and Landfill	A fire in the open that involves large stacks of material in scrap yards or recycling sites	3 Pumps EPU CSV ICS L2(TA) HMA		IOW ICU instead of CSV	
F8.2.2 Fire Recycle Bank No Persons Reported	Fires involving recycling banks(s)	1 Pump/SFV			
F8.2.2.P Fire Recycle Bank Persons Reported	Fires involving recycling banks(s)	1 Pump ICS L2 TA			
F8.3 Fire in the Open Large No Persons Reported	Fires in the open that covers a large area or involves large quantities of combustible materials e.g. Bailed / stacked materials, standing crops, woodland	2 Pumps 4x4			
F8.3.5 Fire in Heathland/Moorland	Fires reported on heath land or moorland	2 Pumps WRC 4x4			
F8.3.8 Fire in Standing Crops	Fires reported involving standing crops	2 Pumps WRC 4x4			
F8.3.P Fire in the Open Large Persons Reported	Fires in the open that covers a large area or involves large quantities of combustible materials e.g. Bailed / stacked materials, standing crops, woodland	3 Pumps 4x4 ICS L2 (TA) WRC CSV			
F8.4.0 Fire Below Ground	A subterranean fire not readily accessible from ground level e.g. involving cable ducts.	1 Pump			
F9 Fire Electrical Installations No Persons Reported	Fires involving non-domestic electrical installations and associated equipment.	2 Pumps			
F9.P Fire Electrical Installations Persons Reported	Fires involving non-domestic electrical installations and associated equipment.	2 Pumps ICS L2 (TA)			
H2.2.1 Fire Cylinder No Persons Reported	Incidents where cylinders are reported as being involved in / on fire, leaking or damaged.	2 Pumps RSV + RSV Support EPU HMA			
H2.2.1.P Fire Cylinder Persons Reported	Incidents where cylinders are reported as being involved in / on fire, leaking or damaged.	3 Pumps RSV + RSV Support EPU CSV ICS L2 (TA) HMA		IOW ICU instead of CSV and No RSV Support	
S3.1 Persons Shut In Lift Emergency	Incidents involving persons stuck within the confines of a lift car due to mechanical failure or physical restriction i.e. persons are unable to make their own way out unassisted where urgent exit is essential to ensure the health, safety and welfare of themselves and / or others.	2 Pumps			

Incident Type	Incident descriptor	HFRS Response Plan	HFRS Action Plans	IOW Response Plan	IOW Action Plans
S3.2 Persons Shut in Lift Non Emergency	Incidents involving persons stuck within the confines of a lift car due to mechanical failure or physical restriction i.e. persons are unable to make their own way out unassisted where urgent exit is considered by the FRS as essential but non emergency to ensure the health, safety and welfare of themselves and/or others.	2 Pumps			
S4.1 Persons Locked In	Incidents involving persons who are unable to gain unassisted entry in to or exit from a room, building, vehicle or other enclosure where urgent entry or exit is essential to ensure the health, safety and welfare of themselves and / or others.	1 Pump			
S4.2 Persons Locked Out	Incidents involving persons who are unable to gain unassisted entry in to or exit from a room, building, vehicle or other enclosure where urgent entry or exit is essential to ensure the health, safety and welfare of themselves and / or others.	1 Pump			
S6 Flooding from Internal Source (was Flooding Internal)	Flooding occurring in buildings due to such events as mechanical failure or frost damage to building services such as internal plumbing, or heating systems or roofing failures, which may also be affecting electrics.	ICS L2, If electrics are involved add 1 pump			
S7 Flooding from External Source (was flooding external)	Calls to buildings which are at threat of flooding from external weather/ storm conditions or from water main problems located in the roadway	1 ICS L2, If electrics are involved add 1 pump			